

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Public Water Supply Name

#090016 #070026 000000

List PWS ID #s for all Water Systems Covered by this CCR

	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
	Answer the Following Questions Regarding the Consumer Confidence Report
[]	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed://
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/_/_
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Calhoun County Journal
	Date Published: <u>6 / 2 / 10</u>
G	CCR was posted in public places. (Attach list of locations)
	Date Posted:/_/
3	CCR was posted on a publicly accessible internet site at the address: www
CERTI	FICATION
consiste	or certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply.
Par Name/	line How Bookkesper (0-4-10 Title (President, Mayor, Owner, etd.) Oute
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2010 JUN -8 PM 12: 49

2009 Annual Drinking Water Quality Report Poplar Springs Water Association PWS#: 070016 & 070024 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Poplar Springs Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Charles Mahan at 662.682.7747. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meeting scheduled for August 24, 2010 at 7:00 PM at the Vardaman Community Center.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
-------------	------------------	-------------------	-------------------	---	--------------------------	------	-----	--------------------------------

8. Arsenic	N	2008*	1.4	1.3 – 1.4	рр	b	n/a		10 Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2008*	.177	No Range	pp	m	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0	рр	m	1.3	AL=1	
16. Fluoride	N	2008*	.157	.156 – .157	ррі	m	4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	6	0	ppl	o	0	AL=	The state of the s
19. Nitrate (as Nitrogen)	N	2009	.42	.4142	ppr	m	10		Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
21. Selenium	N	2008*	4	No Range	ppt)	50	5	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfectio	on By-	Products	8						
Chlorine	N	2009	.6	.26	ppm		0 MDF		Water additive used to control microbes

PWS ID#	0070024			TEST RESUL	TS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
8. Arsenic	N	2008*	1.6	No Range	ppb	n/a	10	Erosion of natural deposits; runof from orchards; runoff from glass and electronics production waste
10. Barium	N	2008*	.181	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2008*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.195	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2009	.30	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
21. Selenium	N	2008*	6	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines

Disinfect	tion By-	-Produc	ts					
Chlorine	N	2009	.6	.26	ppm	0	MDRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2009.

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Poplar Springs Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2009 Annual Drinking Water Oxiality Report Poplar Springs Water Association PAVS#, 070016 & 076024 f, by 2010

We're pleased to present to you take year's Armani Quality Water Report. This report is designed to inform you about the quality water and services we delive to you every day. Our constant good is to provide you with a sefe and dependable supply of drieting water. We want you to understand the allots we make to continuely improve the water freshment process and protect our water resources. We are committed to ensuring the questy of your water. Our water source is from wells drawing from the Gordo Formation Apulter.

The source water assessment has been completed for our public water system to determine the overall susceptibility of as dinking water supply to identified potential sources of contamination. A report containing detailed information on how the aucospibility water supply to identified potential sources of contamination. A report containing detailed information on how the aucospibility water system and is available for viewing upon request. The webs for the Poplar Springe Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water unity, please contact Charles Mahan at 602.992.1747. We want our valued customers to be informed about their water utility. If you want to team more, please attend the meeting scheduled for August 24, 2010 at 7:00 PM at the Vardaman Community Center.

August 24, 2010 at 7.00 PM at the Varidaman Community Center.

We construely monitor for constituents in your drawing water according to Federal and State taws. This table brow less all of the drawing water contaminance that were state-clear during the period of January 1th to December 31th, 2009. In cases where invalidating water contaminance that were state-clear during the period of January 1th to December 31th, 2009. In cases where invalidating water contaminance is contaminance to the contaminance of the con

in this table you will find many terms and abbreviations you might not be familiar with. To hasp you better understand these terms a provided the following definitions:

Action Level - the concentration of a contaminant which, it exceeded, higgers treatment or other requirements which a water system must follow.

Maxamuss Containmand Level (MXL) - The "Materium Allowed" (MXL) is the highest level of a containmant that is allowed in disting water, No.1.5 are set as close to the MXL is as transfer using the best available tradiment technology.

Maximum Conformated Level Goal (MCXC) - The "Goal (MCXC) is the level of a conformation develop water below which there is no known or expected risk to health. MGLDs silver for a marrier of early.

statement procedure Charaktecent (ever (sector) — The highest level of a distribution aboved in drinking water. There is convening evidence that addition of a distributional is represently for control microbial commissions.

Maximum Residual Districtions Level Goal (MICK C) — The level of a drinking worse sharmequest sensor worst ingre in on known or expected risk of health. NAFOL Go do not reflect the benefits of the case of districtions to societal neutronial continuous expensions.

Parts per million (ppm) or Milligrams per liker (mg/l) - one part per million corresponds to one minute in two years or a single persy in \$10,000.

Parts per billion (pub) or Micrograms per litter - one part per follow corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

WS ID#00	Violation	Dado	Level Detected	Range of Detects of # of Samples	Unit Measure	MCLG	MCL	Likely Source of Contentinatio
	Y#N	Collected	Division.	Exceeding MCLIACL	-ment			L

8. Arsenic	N .	2008	1.4	13-14	ppb	nte		Erosion of natural deposits, runoff from exchands: runoff from pless and electronics production wastes
O. Berwitt	H	2008*	:177	No Range	ppm	2	2	Discharge of driving wasten. discharge from metal refination; erosion of natural deposits
I.A. Copper	н	2008*	3	G	рреп	13	AL=13	Corresion of household plambing systems: excesion of natural deposits; leaching from wood preservatives
18. Fauoride	N	2008	.157	156197	рріп	£	•	Erosion of natural deposits; water addition which promotes strong teets, discharge from ferbises and elementum factories
17, i.esti	N	2006*	8	0	pet	0	AL=15	Corresion of household paymore systems, prosion of natural deposits
19 Nitrato (as Nitrogen)	H	2009	A2	41 - 42	ppm	10	10	Fluxed from tertificer use: leaching from septic tarits, streage; crosion of excural deposits
21 Selentum	N	2008*	+	No Range	ppb	50	50	Discharge from petroleum and metal refloenes, erosson of natural deputats, discharge from mass.

Disinfection By-	Products				
Disinfection By-	2009 5	2-6 ppx	g 68	OFIL = 4 Water additive sociolos	need to county
Section 1997 Control of the Control		follower from the passenger and			

PWS ID#	0070024			TEST RESUI	TS			
Contaminant	VioleSon Y/N	Date Collected	Level Detected	Range of Debects or # of Samples Exceeding MCL/ACL	tind Measure ment	MCLG	BACIL.	Likely Source of Contemination
Inorganic	Contam	inants						
8. Arsenio	N .	2098*	1.6	No Range	ppt	n/a	10	Erosion of returni deposits, runo from orchards: runoff from glass and electronics production wants
10. Barism	N	2008*	.181	No Renge	ppm	2	2	Discharge of driling wastes, discharge from metal refinence, arostor of natural deposits
34. Copper	N	2008*	.3	B	boxus	13	AL+13	Company of household plumbing systems, erosion of habital disposits, leaching from wood preservatives
16. Fluoride	N	2008*	.195	No Range	ppm	4	•	Erosion of natural deposits, water additive which promotes strong both, discharge from Sertiazer and disminum factories
17. Lead	N	2008*	2	C	ppb	8	AL=15	Corresion of household plumbers systems, brusion of natural deposits
19. Nitrate (as Nitrogen)	N	2009	30	No Range	ppM	10	10	
21 Selenium	N	2008*	5	No Range	ppb	50	59	

^{*} Most recent sample. No sample required for 2009

As you can see by the table, our system had no contentinent violations. We're proud that your drinking vester meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your wrist SAPE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an industor of whether or not our diskling water meets health slandards. We did complete the monitoring requirements for bacteriological aerapiding that showed no collision present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in dinking water is primarily from materials and components associated with service less and home journising. Our Water Association is responsible for providing high quality striking water, but cannot control the variety of materials used in plumities proporties. When your water her bases affing for several hours, you can minimize the potential for lead exposure by flusting your tap for 30 seconds to 2 minutes before using water for drinking or coulding. If you are noncerned about lead in your water, you may whater, you may whater tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Dinking Water Holline or at Information.

All nources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may researcably be expected to contaminate and a formation of some contaminants. The presence of contaminants are not necessarily substances that the water poses a health rink. More information about confirmants are ploretial result effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotize of 1-500-426 4791.

Some people may be more voluerable to contaminants in chinking water than the general population, immuno compromised persons such as persons with carrier undergoing charcotherapy, persons with have undergone organ transplants, people with HIV/6005 or other immune system indirections, some electery, and intends can be particularly at risk from infections. These people is should cask advice about drinking water from their health care providers. EPA/CDG addedness on appropriate means to leasen the first of infection by cryptoeportiatium and other microbiological contaminents are available from the Safe Drinking Water Hotins 1-800-426-4781.

The Popler Springs Weter Association works pround the stock to provide log quasity water to every tap. We ask that all our customers have profect our water sources, which are the heart of our community, our way of life and our children's future.